

Water Colour Remote Sensing with Imaging Spectroscopy and Synergistic Sensors: Moving Forward

M. A. Soppa, L. Alvarado, P. Gege, P., S.Loza, I. Dröscher I. and A. Bracher





Federal Ministry
for Economic Affairs
and Energy




Hyperspectral Missions

- ✓ Several missions have started since the launch of the first hyperspectral spaceborne sensor - Hyperion, BUT no single mission can satisfy all water applications.




Aquatic Ecosystems

Highly dynamic



Lake Constance RGB - 14.08.2021

Dark surfaces require enough signal-to-noise and large dynamic range




<https://seos-project.eu/classification/classification-c01-p05.html>

SynSenPFT Project (2014 -2016)



- *Synergistic Exploitation of Hyper-and Multispectral Sentinel-Measurements to Determine Phytoplankton Functional Types (PFT) at Best Spatial and Temporal Resolution*
- SCIAMACHY with 1 nm resol. and about 0.5 deg pixel size merged with OC-CCI data set with 6 bands and 4 km resolution.



GLOBAL PFT2002-2012, 4 km pixel daily resolution
<https://doi.org/10.1594/PANGAEA.873210>


TypSynSat Project (2019 -2022)




- Monitoring the Phytoplankton Functional Types (PFTs) by Synergistic Exploitation of Multi- and Hyperspectral Satellite Observations

Diatoms



OLCI



DESIS



Cryptophytes



OLCI and DESIS PFT
retrievals using OC-PFT
empirical algorithm in
06.08.2020


Alvarado, L. et al. 2022. Retrievals of the Main Phytoplankton Groups at Lake Constance Using OLCI and Evaluated with Field Observations. 12th EARSel Workshop on Imaging Spectroscopy, Potsdam, Germany, 22 June 2022 - 24 June 2022 .

TypSynSat Project (2019 -2022)


- Monitoring the Phytoplankton Functional Types (PFTs) by Synergistic Exploitation of Multi- and Hyperspectral Satellite Observations

Diatoms

OC-PFT (Polymer AC)




WASI (PACO AC)




Different atmospheric correction and PFT algorithms

Cryptophytes

Cryptophytes: Lake Constance (OC-PFT)



Cryptophytes: Lake Constance (WASI)



PhySyn Project: Synergy between ocean colour and biogeochemical and ecosystem models (2015 – 2019)

- Biogeochemical models struggle to reproduce the dynamics and co-existence of key phytoplankton functional types (PFTs) in the polar regions.


Remote sensing on
phytoplankton abundance
& diversity



Improve phyto-plankton
modelling especially in
Polar Regions



Assess feedback & impact of
surface BGC (phytoplankton
diversity, radiation,...) to
climate change



Losa et al. 2019. On modeling the Southern Ocean phytoplankton functional types. Biogeosciences Discussions, <https://doi.org/10.5194/bg-2019-289>

Final remarks: critical needs

- **In situ measurements:**
 - **hyperspectral radiometric measurements** over waters for validation and algorithm development;
 - **ship based** and **fixed autonomous** stations as AERONET-OC, WATERHYPERNET, WISPstation network, Lucinda Coastal Observatory, Datalakes, Moby and Boussole bio-optical buoys.
- **Satellite sensors:**
 - dedicated sensors with large dynamic range;
 - high signal-to-noise ratio.
- **Round robin exercises** (algorithms and *in situ* measurements).
- **User community Training:** HyperEdu



<http://lucinda.it.csiro.au/>



By Stefan Plattner

Funding: BMWi/DLR, H2020

Summary

- ✓ **Synergies:** Hyper and multispectral sensors, but also remote sensing and biogeochemical and ecosystem models, and *in situ* measurements.
- ✓ **Support** for acquisition of **hyperspectral radiometric data** in coastal and inland waters for fixed automated stations for **improving sensor calibration**.
- ✓ Check out:
 - ✓ the **EnMAP-Box**: <https://enmap-box.readthedocs.io/en/latest/>
 - ✓ **HyperEdu** <https://eo-college.org/courses/beyond-the-visible/>
 - ✓ **Massive Open Online Course (MOOC)**: collection of videos and interviews <https://www.youtube.com/channel/UCxseMj2r9jMDq-LjKzUOIVg>

Acknowledgements

- The TypSynSat and EnMAP Cal/Val projects are supported by the Federal Ministry of Economics and Technology (**BMWi**) and **DLR grants** 50 EE1915 and 50 EE 1923. The SynSenPFT project was funded by **ESRIN/ESA** within the SEOM (Scientific Exploration of operational missions) - Sentinel for Science Synergy (SY-4Sci Synergy)" programme. The PhySyn project (Br2913/3-1) was supported by the German Research Foundation (**DFG**) in the framework of the priority program 1158 "Antarctic Research with Comparative Investigations in Arctic Ice Areas"; and Helmholtz Climate Initiative REKLIM (Regional Climate Change), a joint research project of the **Helmholtz Association** of German Research Centres (HGF). Funding for the cooperation between AWI and University of Lisbon was supported by the **European Union's Horizon 2020 Research and Innovation Programme** (N810139): Project Portugal Twinning for Innovation and Excellence in Marine Science and Earth Observation (PORTWIMS).
- DLR and Teledyne are acknowledged for DESIS level 1 satellite data. ESA and EUMETSAT are acknowledged for S2 MSI and S3 OLCI Level 1 data.
- We thank LUBW/IGKB for the in situ HPLC pigment data at Lake Constance. Funding was provided by the grant "SeeWandel: Life in Lake Constance-the past, present and future" by the **European Regional Development Fund** as well as the **Swiss Confederation and cantons**.
- Thanks to all people involved in the field campaigns specially Stefan Plattner, Ian Somlai, Moritz Zeising, Mara Gomes, Milad Niroumand-Jadidi, Julia Oelker, Christian Hohe for supporting optical campaigns at Lake Constance.

Thank you!